

Frequenz	Pol.	SR	FEC	Datum	Stand: 07.01.2018
11,463	h	4444	3/4	08.04.11	
11,463	h	4500	3/4	11.04.11	
11,466	h	3400	2/3	22.05.11	
11,469	h	4500	3/4	01.07.07	
11,470	h	3400	2/3	22.05.11	
11,472	h	5632	3/4	09.05.11	
11,474	h	3400	2/3	22.05.11	
11,474	h	4444	3/4	10.05.11	
11,474	h	4500	3/4	28.11.10	
11,483	h	4444	3/4	21.07.09	
11,483	h	4500	3/4	19.03.09	
11,491	v	5632	3/4	25.10.08	
11,491	v	6750	3/4	25.10.08	
11,494	h	3400	3/4	07.05.13	
11,494	h	3400	2/3	12.04.12	
11,494	h	4444	3/4	28.09.12	
11,494	h	4500	3/4	11.10.12	
11,494	h	4800	3/4	07.05.15	
11,496	h	5632	3/4	24.08.13	
11,496	h	6222	3/4	02.05.13	
11,496	h	6444	3/4	08.09.14	
11,496	h	6900	3/4	04.07.15	
11,496	h	7000	3/4	03.12.13	
11,498	h	3400	3/4	05.04.13	
11,498	h	8600	3/4	15.02.15	
11,498	h	9200	3/4	23.09.15	
11,498	h	9228	3/4	24.08.15	
11,500	h	4444	3/4	25.10.12	
11,500	h	4500	3/4	05.01.14	
11,501	h	5000	3/4	28.09.12	
11,520	v	3400	3/4	22.05.11	
11,520	v	3400	2/3	11.12.16	
11,520	v	3600	3/4	23.01.13	
11,520	v	4444	3/4	17.01.11	
11,520	v	4500	3/4	16.01.11	
11,520	v	4700	3/4	23.08.16	
11,520	v	4800	3/4	09.06.13	
11,520	v	4875	3/4	30.07.17	
11,520	v	5000	3/4	08.01.13	
11,522	v	5632	3/4	13.02.11	
11,522	v	6111	3/4	21.04.13	
11,522	v	6650	3/4	27.08.13	
11,522	v	6750	3/4	30.08.13	
11,523	h	9600	3/4	07.12.14	
11,523	h	9874	3/4	12.09.16	
11,523	v	9600	-/-	09.05.11	
11,523	v	10000	3/4	31.08.13	
11,524	v	2400	3/4	25.11.14	
11,524	v	3400	3/4	22.02.11	
11,524	v	3600	3/4	29.05.13	
11,525	h	4500	3/4	18.10.10	
11,525	h	4500	5/6	18.01.10	
11,525	h	5632	3/4	03.03.11	
11,525	h	6660	3/4	10.11.14	
11,525	h	7200	3/4	07.05.11	
11,526	h	9230	3/4	07.01.17	
11,526	h	9874	3/4	08.11.16	

11,526	v	2400	3/4	11.05.15
11,526	v	4444	3/4	12.12.11
11,526	v	4500	3/4	16.01.11
11,526	v	4800	3/4	19.07.13
11,526	v	5000	3/4	08.05.13
11,529	v	9600	3/4	21.11.14
11,531	h	4500	5/6	18.01.10
11,531	v	5632	3/4	19.02.11
11,531	v	7200	3/4	04.05.13
11,532	v	3600	3/4	24.05.13
11,532	v	4444	3/4	18.12.11
11,532	v	4500	3/4	17.01.11
11,532	v	4800	3/4	16.07.13
11,532	v	5000	3/4	16.04.13
11,533	v	3400	3/4	05.04.11
11,535	h	5632	3/4	20.08.07
11,535	v	8900	3/4	28.09.17
11,536	v	2400	3/4	09.05.16
11,537	h	4410	3/4	20.02.09
11,537	h	4500	3/4	03.10.08
11,538	v	3200	3/4	01.03.16
11,538	v	3400	3/4	01.03.11
11,538	v	3600	3/4	05.04.13
11,538	v	4444	3/4	12.12.11
11,538	v	4500	3/4	13.02.11
11,538	v	4800	3/4	12.05.13
11,538	v	5000	3/4	24.09.13
11,540	v	5632	3/4	19.02.11
11,540	v	6111	3/4	17.01.15
11,540	v	6444	3/4	15.09.14
11,540	v	6666	3/4	01.10.16
11,540	v	7200	3/4	29.07.17
11,540	v	7500	3/4	05.05.15
11,540	v	9600	3/4	05.10.15
11,540	v	20000	3/4	19.08.14
11,542	v	2400	3/4	09.05.16
11,542	v	3200	3/4	02.03.16
11,542	v	3400	3/4	07.05.11
11,542	v	3600	3/4	05.04.13
11,544	v	4444	3/4	30.12.11
11,544	v	4500	3/4	22.02.11
11,544	v	4800	3/4	21.05.13
11,544	v	5000	3/4	24.01.13
11,544	v	14400	3/4	12.06.14
11,544	v	15000	3/4	26.10.12
11,547	v	3400	3/4	24.01.11
11,547	v	3600	3/4	21.03.14
11,547	v	9600	3/4	28.06.14
11,547	v	10000	3/4	18.12.13
11,549	h	9230	3/4	05.10.16
11,549	h	9600	3/4	19.01.17
11,549	v	5632	3/4	17.01.11
11,549	v	6111	3/4	17.01.15
11,549	v	6500	3/4	28.08.17
11,549	v	7200	3/4	22.03.12
11,549	v	7500	3/4	02.09.14
11,550	v	4310	3/4	14.11.12
11,550	v	4444	3/4	04.01.12

11,550	v	4800	3/4	28.10.15
11,550	v	4500	3/4	13.02.11
11,550	v	5000	3/4	09.01.13
11,552	v	3400	3/4	24.01.11
11,552	v	3600	3/4	20.06.11
11,561	v	3400	3/4	03.05.13
11,561	v	3400	2/3	23.09.15
11,561	v	3600	3/4	25.09.13
11,561	v	3750	5/6	29.05.14
11,561	v	4000	3/4	30.08.16
11,562	v	4444	3/4	05.04.13
11,562	v	4500	3/4	30.05.13
11,562	v	4610	3/4	31.03.17
11,562	v	4800	3/4	14.11.15
11,562	v	5000	3/4	08.08.14
11,563	h	3400	3/4	19.04.11
11,563	v	5632	3/4	29.07.13
11,563	v	7000	3/4	10.11.14
11,563	v	7200	3/4	06.09.14
11,563	v	7500	3/4	12.05.16
11,564	h	3600	3/4	30.12.11
11,564	h	4280	3/4	18.11.08
11,564	h	4444	3/4	01.12.11
11,564	h	4500	3/4	23.10.08
11,565	v	3750	5/6	29.05.14
11,566	h	5632	3/4	19.02.11
11,566	h	6111	3/4	16.01.11
11,566	h	6222	3/4	30.11.14
11,566	h	6650	3/4	10.10.14
11,566	h	6750	3/4	05.12.08
11,567	v	15000	3/4	25.08.13
11,568	h	3200	3/4	06.05.13
11,568	v	4000	3/4	30.08.16
11,568	v	4444	3/4	05.04.13
11,568	v	4610	3/4	31.03.17
11,568	v	4800	3/4	14.11.15
11,568	v	5000	3/4	02.05.13
11,568	v	5000	2/3	30.08.17
11,570	h	4444	3/4	01.12.11
11,570	h	4500	3/4	23.10.08
11,570	h	4800	3/4	16.04.13
11,570	h	4875	3/4	11.05.15
11,570	v	2274	3/4	01.02.17
11,570	v	3750	5/6	29.05.14
11,570	v	20000	3/4	26.08.15
11,572	h	3200	3/4	02.05.13
11,572	h	3400	3/4	20.11.11
11,572	h	3400	2/3	20.01.17
11,572	h	9200	3/4	25.10.16
11,572	h	9230	3/4	28.08.16
11,572	h	9600	3/4	22.05.13
11,572	v	5000	3/4	06.10.14
11,572	v	5632	3/4	29.07.13
11,572	v	7200	3/4	13.09.14
11,574	v	3333	7/8	29.05.14
11,574	v	3600	3/4	25.07.13
11,574	v	4444	3/4	11.11.16
11,574	v	4800	3/4	30.05.13

11,575	h	5632	3/4	10.08.11
11,575	h	7500	3/4	21.03.16
11,576	h	4444	3/4	27.12.11
11,576	h	4500	3/4	26.12.08
11,576	h	4800	3/4	19.07.13
11,576	h	5000	3/4	10.10.14
11,577	h	3200	3/4	06.05.13
11,577	h	3400	3/4	20.11.11
11,577	h	3400	2/3	09.10.14
11,577	v	10000	3/4	16.04.14
11,579	v	2300	3/4	27.01.15
11,579	v	2400	3/4	26.05.16
11,579	v	3400	3/4	10.05.13
11,579	v	3600	3/4	25.07.13
11,579	v	4444	3/4	10.12.15
11,581	h	3400	3/4	16.03.12
11,581	h	3400	2/3	17.07.13
11,581	v	4800	3/4	22.04.16
11,581	v	5632	3/4	07.03.16
11,581	v	6444	3/4	17.12.16
11,581	v	6500	3/4	18.08.16
11,581	v	7200	3/4	22.01.17
11,581	v	7500	3/4	31.03.17
11,581	v	21600	3/4	01.06.17
11,582	h	4444	3/4	21.09.12
11,582	h	4500	3/4	10.09.11
11,582	h	4550	3/4	18.10.13
11,582	h	4875	3/4	07.05.13
11,582	v	4444	3/4	03.05.13
11,582	v	4500	3/4	31.01.14
11,584	h	6650	3/4	15.07.13
11,584	h	6650	3/4	10.10.14
11,585	h	3400	2/3	27.06.15
11,585	h	9230	3/4	18.03.14
11,585	h	9230	3/4	23.06.15
11,585	h	9874	3/4	14.08.15
11,585	v	5000	3/4	08.03.14
11,585	v	14400	3/4	24.09.15
11,586	v	15000	3/4	18.04.13
11,585	v	3400	2/3	23.09.15
11,588	h	3400	2/3	27.06.15
11,588	h	4444	3/4	28.05.12
11,588	h	4500	3/4	10.10.11
11,588	h	4550	3/4	14.11.12
11,588	h	4875	3/4	29.09.15
11,588	v	3400	3/4	10.05.13
11,588	v	3400	2/3	09.10.14
11,588	v	3600	3/4	08.11.13
11,588	v	4444	3/4	15.07.13
11,589	v	10000	3/4	16.04.14
11,591	h	3400	3/4	06.11.12
11,591	h	3400	2/3	14.01.13
11,591	v	4444	3/4	27.06.16
11,591	v	4800	3/4	01.04.16
11,591	v	5000	3/4	27.01.16
11,591	h	6666	7/8	15.08.17
11,591	h	7200	3/4	29.09.17
11,591	v	7200	3/4	14.03.14

11,591	v	6444	3/4	17.12.16
11,591	v	6750	3/4	19.08.16
11,591	v	7500	3/4	16.03.17
11,593	h	4876	3/4	05.05.15
11,593	h	5632	3/4	10.08.14
11,593	h	6650	3/4	05.09.12
11,593	v	2274	3/4	08.06.17
11,593	v	3400	3/4	05.04.13
11,593	v	3400	2/3	09.10.14
11,593	v	3600	3/4	15.07.13
11,593	v	7200	3/4	14.07.15
11,593	v	7500	3/4	31.08.15
11,594	h	4444	3/4	22.08.12
11,594	h	4550	3/4	13.11.12
11,594	h	4875	3/4	23.09.15
11,594	v	4444	3/4	27.09.13
11,595	h	3400	3/4	04.07.12
11,595	h	3400	2/3	22.04.13
11,596	v	14400	3/4	28.08.13
11,600	h	3400	3/4	22.05.11
11,600	h	4444	3/4	09.05.11
11,600	h	4500	3/4	16.06.11
11,601	v	3400	3/4	30.06.14
11,601	v	3400	2/3	12.04.12
11,602	h	5632	3/4	16.01.12
11,602	h	6111	3/4	19.09.12
11,602	h	6650	3/4	10.05.13
11,602	v	4444	3/4	29.07.13
11,602	v	4500	3/4	29.08.13
11,602	v	5000	3/4	31.01.14
11,603	v	5632	3/4	18.11.13
11,603	v	6111	3/4	15.04.15
11,603	v	6222	3/4	12.10.13
11,603	v	6444	3/4	10.09.14
11,603	v	6650	3/4	05.01.04
11,604	v	9300	3/4	29.08.13
11,604	v	9600	3/4	30.08.16
11,604	v	10000	3/4	18.06.14
11,606	h	4500	3/4	22.05.11
11,608	v	3400	2/3	10.07.16
11,608	v	3500	3/4	26.08.16
11,608	v	4444	3/4	24.05.13
11,608	v	5000	3/4	31.01.14
11,609	v	15000	3/4	10.08.14
11,609	v	19200	3/4	23.11.15
11,609	v	19990	3/4	13.08.15
11,612	v	5632	3/4	05.01.04
11,612	v	6111	3/4	08.09.16
11,612	v	6500	3/4	05.01.16
11,612	v	6666	3/4	22.12.14
11,612	v	7000	3/4	10.04.13
11,612	v	7200	3/4	30.08.14
11,612	h	4444	3/4	15.03.12
11,612	h	4500	3/4	31.08.11
11,614	v	3500	3/4	26.08.16
11,614	v	4444	3/4	29.07.13
11,614	v	4500	3/4	25.07.13
11,614	v	4800	3/4	24.08.13

11,614	v	5000	3/4	23.05.14
11,618	v	3400	3/4	25.07.13
11,620	v	4444	3/4	02.05.13
11,620	v	4500	3/4	29.08.13
11,620	v	4800	3/4	05.01.14
11,620	v	5000	3/4	23.05.14
11,620	v	7200	3/4	12.06.14
11,623	v	3600	3/4	02.06.14
11,626	v	4444	3/4	05.01.14
11,626	v	4500	3/4	29.08.13
11,626	v	4500	3/4	10.12.15
11,626	v	4600	3/4	27.04.16
11,626	v	14990	3/4	18.06.14
11,626	v	15000	3/4	07.05.15
11,628	v	3400	2/3	10.10.15
11,628	v	3600	3/4	25.07.13
11,629	v	9230	3/4	02.10.13
11,630	h	4500	3/4	22.05.11
11,630	v	5000	3/4	26.09.14
11,630	v	6650	3/4	01.03.16
11,630	v	7200	3/4	13.09.14
11,632	v	3400	2/3	10.04.13
11,632	v	3600	3/4	31.01.14
11,632	v	4444	3/4	31.12.13
11,632	v	4500	3/4	30.08.13
11,632	v	4800	3/4	10.02.15
11,643	v	3254	3/4	17.07.10
11,643	v	4500	3/4	28.11.10
11,648	h	4960	7/8	29.01.07
11,672	v	2300	5/6	23.07.15
11,679	v	2000	7/8	06.11.12
11,682	v	3400	3/4	10.09.12
11,682	v	3400	2/3	23.04.14
11,682	v	3500	3/4	10.11.14
11,682	v	3600	3/4	05.04.13
11,959	h	6666	3/4	13.01.13
11,959	h	7500	3/4	29.11.17
11,963	h	15000	3/4	08.11.17
11,968	h	7200	3/4	14.01.13
11,977	h	7000	3/4	12.10.17
11,984	h	10000	3/4	08.11.17
11,997	h	3600	3/4	27.10.17
11,997	h	4444	3/4	10.10.17
11,997	h	4500	3/4	19.12.17
11,997	h	5000	3/4	05.01.18
11,997	v	4444	3/4	02.01.18
11,999	h	6111	3/4	05.12.17
11,999	h	7200	3/4	29.11.17
11,999	v	6750	3/4	07.01.18
11,999	v	7200	3/4	17.11.17
12,000	v	9230	3/4	07.01.18
12,003	h	4500	3/4	15.12.17
12,003	h	4800	3/4	10.10.17
12,003	h	5000	3/4	05.01.18
12,003	v	4444	3/4	03.01.18
12,003	v	5000	3/4	21.11.17
12,003	h	15000	3/4	28.12.17
12,003	h	17100	3/4	08.11.17

12,008	v	7200	3/4	07.01.18
12,009	h	4500	3/4	29.11.17
12,009	h	5000	3/4	10.10.17
12,009	v	4800	3/4	07.01.18
12,009	v	5000	3/4	17.11.17
12,015	h	5000	3/4	10.10.17
12,015	v	5000	3/4	17.11.17
12,021	h	5000	3/4	10.10.17
12,021	v	5000	3/4	17.11.17
12,023	h	3400	2/3	05.12.17
12,024	h	9230	3/4	07.01.18
12,024	v	9230	3/4	04.01.18
12,024	v	9600	3/4	21.11.17
12,026	h	7200	3/4	06.01.18
12,026	v	5632	3/4	07.01.18
12,026	v	7200	3/4	07.01.18
12,027	h	5000	3/4	10.10.17
12,027	v	4444	3/4	17.11.17
12,027	v	5000	3/4	20.11.17
12,027	v	6111	3/4	11.12.17
12,038	h	4444	3/4	29.01.07
12,039	h	5632	3/4	02.08.07
12,039	h	6750	3/4	22.01.07
12,043	h	4500	3/4	13.07.07
12,043	h	13333	7/8	23.12.07
12,048	h	5632	3/4	02.08.07
12,048	h	6750	3/4	13.01.07
12,050	h	4444	3/4	04.01.08
12,050	h	4500	3/4	13.07.07
12,055	h	4444	3/4	29.01.07
12,055	h	4500	3/4	23.03.07
12,057	h	5632	3/4	05.05.07
12,057	h	6750	3/4	14.09.07
12,061	h	4444	3/4	23.04.07
12,061	h	4500	3/4	13.01.07
12,066	h	5632	3/4	29.02.08
12,067	h	4444	3/4	20.11.07
12,067	h	4500	3/4	09.04.07
12,075	h	5632	3/4	05.05.07
12,075	h	6111	3/4	17.07.07
12,084	h	4600	7/8	20.08.07
12,522	v	4500	3/4	23.09.15
12,576	h	3400	2/3	27.08.16
12,576	h	3600	3/4	08.07.13
12,576	h	4444	3/4	15.07.13
12,576	h	4444	3/4	29.12.16
12,576	h	4500	3/4	23.05.07
12,576	h	4800	3/4	21.06.13
12,576	h	4875	3/4	07.05.15
12,576	h	5000	3/4	18.11.13
12,577	h	5632	3/4	17.07.07
12,577	h	6111	3/4	08.09.13
12,577	h	6750	3/4	06.03.07
12,577	h	7200	3/4	26.01.16
12,577	h	7500	3/4	26.11.13
12,579	h	9600	3/4	22.11.13
12,579	h	9874	3/4	04.06.16
12,580	h	3400	2/3	27.08.16

12,580	h	3600	3/4	25.07.13
12,582	h	4444	3/4	24.02.07
12,582	h	4500	3/4	14.05.07
12,582	h	4800	3/4	30.08.13
12,582	h	4875	3/4	07.05.15
12,582	h	5000	3/4	02.06.14
12,582	h	13500	3/4	25.06.14
12,582	h	14400	3/4	29.07.13
12,582	h	15000	3/4	02.13.13
12,585	h	3400	2/3	27.08.16
12,585	h	3600	3/4	18.10.13
12,585	h	19200	3/4	21.11.16
12,586	h	5632	3/4	25.09.07
12,586	h	6750	3/4	13.07.07
12,588	h	3400	2/3	19.02.17
12,588	h	3600	3/4	19.02.14
12,588	h	4444	3/4	21.06.13
12,588	h	4500	3/4	14.05.07
12,588	h	4800	3/4	30.08.13
12,588	h	4875	3/4	07.05.15
12,588	h	5000	3/4	23.09.13
12,592	h	9600	3/4	10.11.14
12,592	h	10000	3/4	15.08.14
12,594	h	3600	3/4	27.08.13
12,594	h	4444	3/4	25.10.07
12,594	h	4500	3/4	14.05.07
12,594	h	4875	3/4	02.11.15
12,594	h	5000	3/4	03.09.13
12,594	h	6650	3/4	19.02.17
12,594	h	6666	3/4	07.09.17
12,594	h	7200	3/4	30.11.16
12,598	h	2400	3/4	23.12.16
12,598	h	3440	2/3	05.04.17
12,598	h	3600	3/4	07.08.13
12,598	h	22500	3/4	15.07.13
12,600	h	3200	3/4	08.08.14
12,600	h	4444	3/4	21.06.13
12,600	h	4500	3/4	13.07.07
12,600	h	4800	3/4	13.10.14
12,600	h	4875	3/4	02.11.15
12,600	h	5000	3/4	07.09.16
12,602	h	3200	3/4	08.08.16
12,602	h	3400	2/3	19.02.17
12,602	h	3600	3/4	20.09.13
12,604	h	5632	3/4	24.08.13
12,604	h	6111	3/4	01.09.13
12,604	h	6750	3/4	10.09.07
12,604	h	7000	3/4	01.12.16
12,604	h	7200	3/4	05.01.14
12,604	h	7500	3/4	07.04.14
12,604	h	8888	3/4	18.06.14
12,604	h	9600	3/4	29.12.13
12,606	h	4444	3/4	31.08.07
12,606	h	4500	3/4	23.05.07
12,608	h	3200	3/4	08.08.14
12,608	h	3400	3/4	21.06.13
12,608	h	3400	2/3	21.10.16
12,608	h	3600	3/4	20.09.13

12,616	h	4500	3/4	11.11.08
12,618	h	5632	3/4	11.08.11
12,618	h	6222	-/-	03.08.11
12,618	h	6650	3/4	10.08.11
12,618	h	6750	3/4	12.07.08
12,623	h	4444	3/4	05.12.08
12,623	h	4500	3/4	22.10.08
12,627	h	5632	3/4	27.11.08
12,627	h	6111	3/4	10.02.09
12,627	h	6750	3/4	12.07.08
12,629	h	4444	3/4	05.12.08
12,629	h	4500	3/4	22.10.08
12,635	h	4500	3/4	12.07.08
12,635	h	5632	3/4	24.02.09
12,636	h	6750	3/4	16.02.09
12,641	h	4444	3/4	22.03.12
12,641	h	4500	3/4	11.09.08
12,645	h	5632	3/4	20.02.09
12,645	h	6750	3/4	09.12.08
12,647	h	4444	3/4	23.10.08
12,647	h	4500	3/4	09.09.08
12,656	h	4444	3/4	08.09.14
12,656	v	4444	3/4	29.01.07
12,656	v	5632	3/4	31.12.07
12,656	v	6750	3/4	06.01.08
12,657	h	5000	3/4	08.10.14
12,657	h	7120	2/3	23.08.14
12,662	v	4444	3/4	27.02.07
12,662	v	4500	3/4	10.01.07
12,663	h	5000	3/4	08.10.14
12,668	v	4444	3/4	22.01.07
12,668	v	4500	3/4	15.01.08
12,669	h	3600	3/4	08.09.14
12,669	h	4500	3/4	24.09.14
12,674	h	3400	3/4	04.01.12
12,674	h	4500	3/4	11.08.11
12,674	v	4444	3/4	13.01.07
12,674	v	4500	3/4	10.01.07
12,678	h	3400	3/4	23.01.13
12,678	h	3400	2/3	28.10.15
12,680	h	4444	3/4	25.08.16
12,680	h	4500	3/4	05.01.17
12,680	v	4444	3/4	06.01.08
12,680	v	4500	3/4	29.01.07
12,682	h	3400	2/3	28.10.15
12,682	h	5000	3/4	11.09.15
12,682	h	3600	3/4	08.10.14
12,684	h	6111	3/4	13.11.17
12,684	h	6666	3/4	29.12.16
12,684	h	6900	3/4	28.06.16
12,684	h	7200	3/4	08.08.15
12,684	h	8600	3/4	31.05.16
12,684	h	9200	3/4	15.11.16
12,684	h	9230	3/4	30.11.16
12,684	v	5632	3/4	22.06.07
12,686	h	3400	2/3	23.09.14
12,686	h	3400	3/4	11.10.12
12,686	h	3600	3/4	08.10.14

12,686	h	4400	3/4	26.10.17
12,686	h	4444	3/4	19.09.12
12,686	h	4500	3/4	05.01.17
12,686	h	4600	3/4	09.11.16
12,686	v	4444	3/4	07.03.07
12,686	v	4500	3/4	15.01.07
12,697	h	2222	3/4	19.12.11
12,698	h	3400	3/4	25.10.12
12,698	h	4444	3/4	02.10.11
12,698	h	4500	3/4	05.11.11
12,698	h	4554	3/4	14.08.12
12,698	v	3200	5/6	10.07.16
12,698	v	3400	2/3	19.02.17
12,698	v	4444	3/4	12.05.07
12,698	v	4500	3/4	15.01.07
12,700	h	5632	3/4	30.01.13
12,700	v	6111	3/4	07.09.16
12,700	v	6600	3/4	24.11.16
12,700	v	6666	3/4	12.09.16
12,701	v	9230	3/4	07.11.16
12,702	h	3600	3/4	22.11.12
12,702	v	3200	5/6	10.07.16
12,704	h	4444	3/4	28.09.12
12,704	v	4444	3/4	05.05.15
12,704	v	4500	3/4	15.01.07
12,704	v	4800	3/4	12.09.15
12,704	v	4875	3/4	13.06.16
12,705	v	15000	3/4	01.10.16
12,707	h	3400	3/4	14.08.12
12,707	v	3400	2/3	10.07.16
12,709	v	5632	3/4	16.04.07
12,709	v	5784	3/4	03.07.15
12,709	v	6650	3/4	08.09.16
12,709	v	6750	3/4	16.04.07
12,709	v	7200	3/4	07.09.16
12,709	v	7500	3/4	03.10.15
12,710	v	3400	3/4	24.01.13
12,710	v	3500	3/4	08.05.13
12,710	v	3600	3/4	27.09.11
12,710	v	4444	3/4	23.03.07
12,710	v	4500	3/4	15.01.07
12,712	v	2300	3/4	21.09.16
12,713	v	9230	3/4	07.11.16
12,714	v	3400	3/4	22.03.12
12,716	v	4444	3/4	05.05.07
12,716	v	4500	3/4	13.01.07
12,716	v	4540	3/4	11.05.11
12,716	v	4800	3/4	16.04.14
12,716	v	5000	3/4	08.04.13
12,718	v	5632	3/4	13.01.07
12,718	v	6750	3/4	13.01.07
12,718	v	7200	3/4	06.11.12
12,718	v	7500	3/4	01.10.16
12,719	v	3400	3/4	14.08.12
12,719	v	3400	2/3	10.07.16
12,723	v	3400	3/4	06.10.15
12,723	v	3600	3/4	06.08.15
12,723	v	4444	3/4	18.12.07

12,723	v	4500	3/4	15.01.08
12,723	v	4540	3/4	15.08.12
12,723	v	4800	3/4	12.09.15
12,723	v	5000	3/4	19.01.16
12,725	v	9200	3/4	19.01.17
12,727	v	6111	3/3	19.09.16
12,727	v	6600	3/4	18.02.17
12,727	v	6666	7/8	05.07.07
12,727	v	6750	3/4	02.08.07
12,727	v	7200	3/4	15.10.16
12,727	v	7500	3/4	01.10.16
12,728	v	3400	2/3	06.10.15
12,728	v	4444	3/4	12.05.07
12,728	v	4500	3/4	05.05.07
12,728	v	4800	3/4	15.07.16
12,728	v	5000	3/4	25.07.16
12,734	h	3400	2/3	18.02.17
12,734	h	4444	3/4	31.03.17
12,734	h	4500	3/4	21.11.16
12,734	h	4500	3/4	19.12.16
12,734	h	4800	3/4	07.11.16
12,734	v	4440	3/4	27.06.16
12,734	v	4800	3/4	10.07.16