

Frequenz	Pol.	SR	FEC	Datum	Stand: 27.05.2018
11,029	v	7200	3/4	07.05.17	
12,505	h	3630	2/3	07.06.17	
12,508	h	7200	3/4	23.09.17	
12,508	h	7200	3/4	23.05.17	
12,508	h	7390	3/4	04.08.17	
12,508	h	7400	3/4	24.02.18	
12,508	h	7500	5/6	14.05.17	
12,509	h	9874	3/4	07.04.17	
12,510	h	3630	2/3	07.06.17	
12,512	h	14250	3/4	02.04.17	
12,512	h	14400	3/4	27.05.18	
12,514	h	3600	2/3	07.06.17	
12,517	h	7200	3/4	23.09.17	
12,517	h	7400	3/4	24.02.18	
12,517	h	7500	3/4	14.05.17	
12,524	h	4610	3/4	18.05.18	
12,535	h	4600	5/6	07.05.17	
12,537	h	7120	3/4	02.04.17	
12,537	h	7200	3/4	23.09.17	
12,537	h	7400	3/4	13.05.18	
12,537	h	7500	3/4	25.04.17	
12,542	h	4600	5/6	07.05.17	
12,542	h	14250	3/4	05.06.17	
12,542	v	3600	3/4	22.03.18	
12,542	v	3750	3/4	11.04.18	
12,542	v	3750	2/3	01.05.18	
12,542	v	4800	3/4	17.03.18	
12,542	v	5000	2/3	20.03.18	
12,543	v	7200	3/4	07.03.18	
12,543	v	7200	3/4	24.04.18	
12,542	h	14250	3/4	07.05.18	
12,542	h	15000	5/6	14.05.17	
12,545	v	3600	3/4	22.03.18	
12,545	v	3750	2/3	12.05.18	
12,546	v	2500	2/3	18.03.18	
12,546	h	7200	3/4	23.09.17	
12,546	h	7400	3/4	13.05.18	
12,546	h	7500	3/4	25.04.17	
12,548	h	4600	5/6	07.05.17	
12,554	h	4600	5/6	07.05.17	
12,559	v	4800	3/4	29.03.18	
12,564	h	4600	5/6	07.05.17	
12,570	h	4600	5/6	07.05.17	
12,572	v	7200	3/4	07.05.17	
12,574	h	6960	2/3	30.04.15	
12,576	h	4600	5/6	07.05.17	
12,577	v	15000	3/4	28.06.17	
12,581	v	7200	3/4	07.05.17	
12,582	h	4167	5/6	07.05.17	
12,582	h	6960	2/3	30.04.15	
12,587	v	9874	3/4	09.09.17	
12,595	h	4610	5/6	13.05.18	
12,595	h	5000	3/4	25.08.17	
12,595	h	7120	3/4	24.02.18	
12,595	h	7200	3/4	07.05.17	
12,595	h	7500	3/4	24.04.17	
12,597	h	9600	3/4	14.05.17	
12,600	h	14250	3/4	02.04.17	

12,600	h	15000	5/6	29.04.17
12,601	h	4610	5/6	13.05.18
12,604	h	7120	3/4	09.09.17
12,604	h	7200	3/4	07.05.17
12,604	h	7230	3/4	25.08.17
12,604	h	7500	3/4	24.04.17
12,604	v	7200	3/4	24.09.17
12,607	h	4610	5/6	13.05.18
12,609	h	9600	3/4	14.05.17
12,613	h	4610	5/6	13.05.18
12,613	v	7200	3/4	24.09.17
12,626	h	7120	3/4	02.04.17
12,626	h	7200	3/4	13.04.17
12,626	h	7390	3/4	28.10.17
12,626	h	7500	5/6	07.05.17
12,627	h	9550	2/3	04.08.17
12,627	h	9600	3/4	14.05.17
12,627	h	9874	3/4	07.05.17
12,629	h	14250	3/4	09.09.17
12,630	v	3600	3/4	17.10.17
12,631	v	5000	3/4	18.05.18
12,633	h	21600	3/4	23.05.17
12,635	h	7200	3/4	07.05.17
12,635	h	7390	3/4	28.10.17
12,634	v	7200	3/4	05.04.17
12,635	v	3600	3/4	17.10.17
12,637	v	5000	3/4	23.04.18
12,641	v	7200	3/4	25.04.18
12,643	v	5000	3/4	26.10.17
12,646	v	9874	3/4	23.09.17
12,649	v	4800	3/4	01.05.18
12,652	h	3540	5/6	26.05.18
12,652	h	3600	3/4	12.02.18
12,655	h	7200	3/4	26.02.18
12,659	v	2400	3/4	29.03.17
12,659	v	3600	3/4	14.04.17
12,659	v	3750	2/3	18.09.17
12,659	v	2400	2/3	08.06.17
12,660	v	4800	3/4	27.03.17
12,661	v	5000	2/3	02.06.17
12,661	v	7200	3/4	13.05.17
12,662	v	2274	3/4	17.08.17
12,662	v	2400	3/4	04.04.17
12,664	h	7200	3/4	26.05.18
12,664	v	3600	3/4	14.04.17
12,664	v	3750	2/3	18.09.17
12,665	v	2500	2/3	04.07.17
12,669	v	3600	3/4	13.05.17
12,670	h	3560	5/6	08.06.17
12,671	v	7200	3/4	12.04.17
12,672	v	4800	3/4	24.04.17
12,673	h	7500	3/4	07.05.17
12,674	v	3600	3/4	28.04.17
12,678	v	3600	3/4	05.06.17
12,684	h	6960	2/3	29.04.15
12,684	h	7200	3/4	26.08.17
12,688	h	15000	3/4	07.05.17
12,693	h	6960	2/3	25.04.15
12,693	h	7200	3/4	26.08.17

12,699	h	4640	2/3	25.04.15
12,713	h	4610	5/6	17.05.18
12,713	h	7120	3/4	25.02.18
12,713	h	7500	3/4	07.05.17
12,718	h	14400	3/4	13.05.18
12,719	h	4610	5/6	17.05.18
12,722	h	7200	3/4	29.03.18
12,722	h	7500	3/4	07.05.17