

Frequenz	Pol.	SR	FEC	Datum	Stand: 06.04.2024
11,029	v	7200	3/4	07.05.17	
12,504	h	2400	3/4	20.06.21	
12,504	h	2500	2/3	04.04.21	
12,506	h	3400	3/4	23.05.22	
12,506	h	3600	3/4	12.12.20	
12,506	h	3630	2/3	07.06.17	
12,506	h	3750	2/3	24.12.20	
12,506	h	4500	3/4	07.09.23	
12,506	h	4600	5/6	06.05.23	
12,506	h	4610	3/4	14.07.19	
12,506	h	4800	2/3	27.03.19	
12,506	h	5000	5/6	09.03.23	
12,507	h	2400	3/4	20.06.21	
12,508	h	7120	3/4	06.09.20	
12,508	h	7200	3/4	23.09.17	
12,508	h	7200	3/4	23.05.17	
12,508	h	7390	3/4	04.08.17	
12,508	h	7400	3/4	24.02.18	
12,508	h	7500	5/6	14.05.17	
12,508	h	7500	2/3	07.02.21	
12,509	h	9230	3/4	10.10.21	
12,509	h	9600	3/4	06.04.19	
12,509	h	9860	3/4	23.11.19	
12,509	h	9874	3/4	07.04.17	
12,509	h	10000	2/3	31.01.21	
12,510	h	2400	3/4	20.06.21	
12,512	h	3630	2/3	07.06.17	
12,512	h	3600	3/4	12.12.20	
12,512	h	3600	3/4	14.02.21	
12,512	h	3750	2/3	24.12.20	
12,512	h	4500	3/4	07.09.23	
12,512	h	4600	5/6	06.05.23	
12,512	h	4800	3/4	12.12.20	
12,512	v	5000	2/3	08.03.24	
12,512	h	14000	3/4	29.12.18	
12,512	h	14250	3/4	02.04.17	
12,516	h	2500	2/3	21.02.21	
12,512	h	14400	3/4	27.05.18	
12,512	h	15000	2/3	08.10.22	
12,514	h	20000	3/4	09.02.22	
12,514	h	22000	3/4	10.12.22	
12,516	h	3400	2/3	16.07.22	
12,516	h	3600	2/3	07.06.17	
12,517	h	4500	3/4	07.09.23	
12,517	h	4600	5/6	06.05.23	
12,517	h	4800	3/4	23.01.21	
12,517	h	7120	3/4	09.10.18	
12,517	h	7200	3/4	23.09.17	
12,517	h	7230	5/6	11.09.22	
12,517	h	7400	3/4	24.02.18	
12,517	h	7500	3/4	14.05.17	
12,517	h	7500	2/3	02.02.21	
12,517	v	5000	2/3	08.03.24	
12,521	h	3560	5/6	10.09.22	
12,521	h	3600	3/4	14.02.21	
12,521	h	9860	3/4	23.11.19	
12,521	h	10000	3/4	06.02.22	
12,521	v	22000	3/4	18.02.24	

12,524	h	4600	5/6	06.05.23
12,524	h	4610	3/4	18.05.18
12,524	h	4812	5/6	21.11.21
12,524	h	5000	2/3	04.04.21
12,526	v	9600	3/4	06.04.24
12,533	h	3400	2/3	10.09.22
12,533	h	3560	5/6	03.06.23
12,533	h	3630	5/6	11.12.19
12,533	h	3600	3/4	14.02.21
12,533	h	4500	3/4	20.08.23
12,533	h	5000	2/3	11.09.22
12,536	h	4600	5/6	07.05.17
12,536	h	4610	3/4	17.07.18
12,536	h	4800	3/4	26.05.19
12,536	h	5000	3/4	03.11.18
12,537	h	6750	3/4	28.05.22
12,537	h	7120	3/4	02.04.17
12,537	h	7200	3/4	23.09.17
12,537	h	7200	2/3	23.04.19
12,537	h	7400	3/4	13.05.18
12,537	h	7500	3/4	25.04.17
12,538	h	3630	5/6	11.12.19
12,538	h	3600	3/4	14.02.21
12,539	h	9800	3/4	31.08.19
12,539	h	9874	3/4	25.08.18
12,539	h	9860	3/4	15.12.18
12,542	h	3600	3/4	14.02.21
12,542	h	3630	2/3	12.12.19
12,542	h	3750	3/4	02.03.23
12,542	h	4600	5/6	07.05.17
12,542	h	4610	3/4	06.06.19
12,542	h	4800	2/3	04.03.19
12,542	h	14250	3/4	05.06.17
12,542	h	14400	3/4	05.01.19
12,542	h	15000	5/6	14.05.17
12,542	h	15000	2/3	08.10.22
12,542	h	20000	3/4	12.02.22
12,542	h	22000	3/4	12.08.23
12,542	v	3560	5/6	22.08.23
12,542	v	3600	3/4	22.03.18
12,542	v	3750	3/4	11.04.18
12,542	v	3750	2/3	01.05.18
12,542	v	4444	3/4	11.10.18
12,542	v	4800	3/4	17.03.18
12,542	v	5000	2/3	20.03.18
12,543	v	5632	3/4	06.09.20
12,543	v	7200	3/4	07.03.18
12,543	v	7200	3/4	24.04.18
12,543	v	7230	5/6	24.09.23
12,543	v	7500	3/4	09.06.18
12,543	v	7500	2/3	08.03.19
12,543	v	9230	3/4	10.06.23
12,543	v	9860	3/4	05.12.20
12,545	v	3600	3/4	22.03.18
12,545	v	3750	2/3	12.05.18
12,546	v	2400	3/4	23.11.19
12,546	v	2500	2/3	18.03.18
12,546	h	3650	3/4	05.08.22
12,546	h	4600	5/6	19.09.22

12,546	h	5000	2/3	11.09.22
12,546	h	7120	3/4	03.10.20
12,546	h	7200	3/4	23.09.17
12,546	h	7400	3/4	13.05.18
12,546	h	7500	3/4	25.04.17
12,547	h	3600	3/4	14.02.21
12,547	h	3630	2/3	12.12.19
12,547	h	3650	3/4	06.08.22
12,548	h	4600	5/6	07.05.17
12,548	h	4800	3/4	26.05.19
12,549	v	3560	5/6	31.08.23
12,550	v	22000	3/4	18.02.24
12,551	h	5000	3/4	24.04.22
12,551	h	9800	3/4	31.08.19
12,551	h	9860	3/4	15.12.18
12,551	h	9874	3/4	22.03.19
12,552	h	3560	5/6	17.06.23
12,552	h	3630	2/3	12.12.19
12,552	h	3750	8/9	05.11.22
12,552	h	4500	3/4	12.06.22
12,552	h	4600	5/6	19.09.22
12,552	h	4800	3/4	27.04.23
12,552	h	5000	2/3	11.09.22
12,552	v	7200	3/4	18.11.18
12,552	v	7230	5/6	22.08.23
12,554	h	4160	5/6	23.10.21
12,554	h	4600	5/6	07.05.17
12,554	h	4812	3/4	05.06.19
12,554	h	6650	3/4	17.06.21
12,554	h	6666	3/4	31.03.21
12,554	h	7200	3/4	12.09.22
12,554	h	7500	3/4	10.06.21
12,554	v	4800	3/4	11.09.18
12,554	v	5000	3/4	15.10.18
12,555	v	9860	3/4	05.12.20
12,559	v	3600	3/4	24.01.19
12,559	v	4800	3/4	29.03.18
12,562	h	3630	2/3	12.12.19
12,564	h	4600	5/6	07.05.17
12,565	h	7120	3/4	06.04.24
12,566	h	12500	3/5	13.05.23
12,567	h	3630	2/3	12.12.19
12,567	h	9860	3/4	21.12.19
12,567	h	9874	3/4	16.06.23
12,570	h	4600	5/6	07.05.17
12,570	v	4600	5/6	12.09.22
12,570	v	4800	3/4	26.05.19
12,570	v	5000	2/3	16.02.19
12,571	v	6750	3/4	29.07.23
12,571	v	7120	3/4	05.06.21
12,571	v	7200	3/4	04.10.20
12,571	v	7400	3/4	01.05.22
12,571	v	7500	5/6	13.05.23
12,571	h	3630	2/3	12.12.19
12,573	h	7500	5/6	03.09.23
12,574	h	6960	2/3	30.04.15
12,575	h	5000	5/6	27.09.23
12,575	v	9230	3/4	12.11.22
12,575	v	9300	5/6	07.09.23

12,575	v	9860	3/4	03.01.19
12,576	h	3630	2/3	12.12.19
12,576	h	4600	5/6	07.05.17
12,576	v	4600	5/6	12.09.22
12,576	v	4800	3/4	26.05.19
12,576	v	5000	2/3	16.02.19
12,577	v	14000	5/6	05.08.21
12,577	v	14400	3/4	31.07.21
12,577	v	14457	5/6	03.08.22
12,577	v	14500	2/3	26.02.23
12,577	v	15000	3/4	28.06.17
12,579	h	9860	3/4	21.12.19
12,579	h	9874	3/4	19.08.23
12,580	h	3630	2/3	12.12.19
12,580	h	5000	5/6	21.07.23
12,581	v	7120	3/4	13.05.23
12,581	v	7200	3/4	07.05.17
12,581	v	7400	3/4	11.06.22
12,581	v	7500	5/6	01.04.23
12,582	h	4167	5/6	07.05.17
12,582	h	6960	2/3	30.04.15
12,582	v	4500	3/4	10.02.24
12,582	v	4600	5/6	17.09.22
12,582	v	4610	3/4	26.05.19
12,582	v	4800	3/4	11.09.21
12,582	v	5000	5/6	02.04.23
12,587	v	9230	3/4	12.11.22
12,587	v	9860	3/4	06.02.21
12,587	v	9874	3/4	09.09.17
12,588	v	3750	5/6	07.05.22
12,588	v	4500	3/4	05.01.24
12,588	v	4600	5/6	17.09.22
12,588	v	4610	3/4	26.05.19
12,588	v	4800	3/4	11.09.21
12,588	v	5000	5/6	02.04.23
12,589	v	7200	3/4	09.10.21
12,592	h	3630	2/3	12.12.19
12,594	v	3750	8/9	20.11.23
12,595	h	4610	5/6	13.05.18
12,595	h	5000	3/4	25.08.17
12,595	h	7120	3/4	24.02.18
12,595	h	7200	3/4	07.05.17
12,595	h	7500	3/4	24.04.17
12,596	h	3630	2/3	12.12.19
12,597	h	9600	3/4	14.05.17
12,597	h	9874	3/4	06.01.19
12,598	h	14250	3/4	02.04.17
12,598	h	14400	3/4	14.05.23
12,598	h	15000	5/6	29.04.17
12,601	h	3630	2/3	12.12.19
12,601	h	4610	5/6	13.05.18
12,604	h	7120	3/4	09.09.17
12,604	h	7200	3/4	07.05.17
12,604	h	7230	3/4	25.08.17
12,604	h	7500	3/4	24.04.17
12,604	v	7200	3/4	24.09.17
12,605	h	3630	2/3	12.12.19
12,607	h	4610	5/6	13.05.18
12,609	h	9600	3/4	14.05.17

12,610	h	3630	2/3	12.12.19
12,612	h	7500	5/6	12.05.23
12,613	h	4610	5/6	13.05.18
12,613	v	7200	3/4	24.09.17
12,617	v	5000	5/6	31.03.24
12,622	h	4610	3/4	13.09.22
12,622	h	5000	2/3	01.10.22
12,624	h	3600	3/4	16.02.19
12,624	h	4610	3/4	02.10.18
12,624	h	4800	3/4	11.09.18
12,626	h	6750	3/4	20.05.23
12,626	h	7120	3/4	02.04.17
12,626	h	7200	3/4	13.04.17
12,626	h	7390	3/4	28.10.17
12,626	h	7500	5/6	07.05.17
12,627	h	9550	2/3	04.08.17
12,627	h	9600	3/4	14.05.17
12,627	h	9874	3/4	07.05.17
12,628	h	5000	2/3	01.10.22
12,629	h	14250	3/4	09.09.17
12,629	h	14400	3/4	20.08.18
12,629	h	15000	3/5	26.09.20
12,630	h	4610	3/4	03.10.18
12,630	h	4800	3/4	11.09.18
12,630	v	3600	3/4	17.10.17
12,630	v	3750	5/6	23.10.21
12,630	v	4600	5/6	17.09.22
12,630	v	5000	5/6	19.03.23
12,631	v	5000	3/4	18.05.18
12,631	v	6750	3/4	17.04.22
12,631	v	7200	3/4	11.07.21
12,631	v	7500	5/6	22.04.23
12,632	v	9230	3/4	03.10.21
12,632	v	9600	3/4	09.07.22
12,632	v	10000	3/4	06.02.21
12,633	h	20000	3/4	15.05.22
12,633	h	21600	3/4	23.05.17
12,633	h	22000	3/4	05.08.22
12,635	h	7120	3/4	11.08.18
12,635	h	7200	3/4	17.12.20
12,635	h	7500	3/4	23.10.21
12,635	h	7390	3/4	28.10.17
12,634	v	9600	3/4	13.06.18
12,635	v	3600	3/4	17.10.17
12,635	v	4500	3/4	05.04.23
12,635	v	4600	5/6	17.09.22
12,635	v	4800	3/4	01.07.23
12,635	v	5000	2/3	11.09.23
12,635	v	14250	3/4	22.02.21
12,635	v	14400	3/4	10.06.18
12,635	v	15000	3/4	06.06.21
12,636	h	4800	3/4	11.09.18
12,637	v	3570	8/8	22.04.23
12,637	v	4800	2/3	21.10.18
12,637	v	5000	3/4	23.04.18
12,641	v	4600	5/6	17.09.22
12,641	v	4875	3/4	30.04.22
12,641	v	5632	3/4	18.03.23
12,641	v	6750	3/4	15.04.22

12,641	v	7120	3/4	26.09.20
12,641	v	7200	3/4	25.04.18
12,641	v	7500	3/4	13.12.20
12,643	h	4800	3/4	11.09.18
12,643	h	4812	5/6	10.10.21
12,643	v	4800	3/4	11.09.18
12,643	v	4936	3/4	05.04.23
12,643	v	5000	3/4	26.10.17
12,645	v	4000	5/6	01.07.23
12,645	v	5000	5/6	01.04.23
12,643	v	9230	3/4	24.04.22
12,643	v	9600	3/4	09.07.22
12,643	v	9874	3/4	23.09.17
12,643	v	10000	5/6	06.03.21
12,647	v	4600	5/6	17.09.22
12,648	v	7200	3/4	27.05.22
12,649	v	4800	3/4	01.05.18
12,650	h	3630	2/3	12.12.19
12,652	h	3540	5/6	26.05.18
12,652	h	3600	3/4	12.02.18
12,652	h	22000	3/4	27.08.22
12,655	h	3630	2/3	12.12.19
12,655	h	7200	3/4	26.02.18
12,659	h	14000	3/4	16.02.19
12,659	h	14400	3/4	03.11.18
12,659	h	14700	3/4	22.08.20
12,659	h	14850	5/6	11.11.18
12,659	v	2400	3/4	29.03.17
12,659	v	3600	3/4	14.04.17
12,659	v	3750	2/3	18.09.17
12,659	v	2400	2/3	08.06.17
12,660	h	3630	2/3	12.12.19
12,660	v	4800	3/4	27.03.17
12,661	v	5000	2/3	02.06.17
12,661	v	7200	3/4	13.05.17
12,662	v	2274	3/4	17.08.17
12,662	v	2400	3/4	04.04.17
12,663	h	19200	3/4	22.03.19
12,664	h	3630	2/3	12.12.19
12,664	h	7200	3/4	26.05.18
12,664	v	3600	3/4	14.04.17
12,664	v	3750	2/3	18.09.17
12,665	v	2500	2/3	04.07.17
12,666	v	14250	5/6	12.08.18
12,669	v	3600	3/4	13.05.17
12,670	h	3560	5/6	08.06.17
12,671	v	7200	3/4	12.04.17
12,672	v	4800	3/4	24.04.17
12,673	h	7500	3/4	07.05.17
12,674	v	3600	3/4	28.04.17
12,678	v	3600	3/4	05.06.17
12,678	v	4800	3/4	11.09.18
12,680	h	3630	2/3	12.12.19
12,682	h	6960	2/3	29.04.15
12,682	h	7120	3/4	19.08.23
12,682	h	7200	3/4	26.08.17
12,682	h	7500	5/6	01.07.23
12,685	h	3630	2/3	12.12.19
12,687	v	2273	3/4	02.06.23

12,687	v	2400	3/4	13.11.21
12,687	v	2500	2/3	01.10.22
12,688	h	14400	5/6	20.06.18
12,688	h	14700	3/4	22.08.20
12,688	h	14850	5/6	11.11.18
12,688	h	15000	3/4	07.05.17
12,689	v	5000	2/3	03.10.21
12,689	v	7200	3/4	26.09.20
12,689	h	3630	2/3	12.12.19
12,691	h	9600	3/4	16.05.21
12,691	v	3600	3/4	09.11.21
12,691	v	3750	2/3	23.06.21
12,691	v	10000	2/3	26.06.21
12,692	v	9000	3/4	06.04.24
12,692	v	9600	3/4	11.09.21
12,692	v	10000	3/4	08.08.21
12,693	h	6960	2/3	25.04.15
12,693	h	7120	3/4	28.07.18
12,693	h	7200	3/4	26.08.17
12,693	v	2500	2/3	04.07.23
12,693	v	7500	3/4	15.04.22
12,694	h	3630	2/3	12.12.19
12,694	v	14400	3/4	13.01.21
12,694	v	15000	3/4	13.12.20
12,695	h	9874	3/4	26.08.23
12,695	v	3600	3/4	09.11.21
12,695	v	3750	2/3	23.06.21
12,695	v	5000	2/3	03.10.21
12,698	h	3630	2/3	12.12.19
12,698	v	7200	3/4	28.11.20
12,699	h	4640	2/3	25.04.15
12,701	v	3400	2/3	22.05.22
12,701	v	3650	3/4	01.10.22
12,701	v	3750	2/3	06.12.22
12,701	v	4800	3/4	31.08.21
12,701	v	5000	2/3	04.06.22
12,703	v	6750	3/4	29.04.23
12,703	v	7000	3/4	20.05.23
12,703	v	7200	3/4	31.07.21
12,703	v	7500	2/3	23.01.22
12,704	v	9230	3/4	08.05.22
12,704	v	9600	3/4	01.05.22
12,704	v	9874	3/4	17.09.22
12,707	v	4800	3/4	11.09.21
12,707	v	5000	2/3	01.10.22
12,710	h	3200	5/6	09.10.22
12,710	h	3400	2/3	02.07.22
12,710	h	3560	5/6	13.05.23
12,710	h	3600	3/4	22.08.20
12,710	h	3750	5/6	11.09.21
12,710	h	5000	3/4	08.05.22
12,710	v	4800	3/4	08.10.22
12,711	h	4600	5/6	12.09.22
12,713	h	4610	5/6	17.05.18
12,713	h	4800	3/4	19.07.19
12,713	h	4936	3/4	31.10.21
12,713	h	6750	3/4	15.04.23
12,713	h	7120	3/4	25.02.18
12,713	h	7200	3/4	24.06.18

12,713	h	7400	3/4	05.06.22
12,713	h	7500	3/4	07.05.17
12,713	h	9600	3/4	24.04.22
12,713	h	9860	3/4	22.08.21
12,717	h	4600	5/6	12.09.22
12,717	h	4812	5/6	23.01.22
12,718	h	3750	5/6	05.06.22
12,718	h	14250	3/4	30.08.21
12,718	h	14400	3/4	13.05.18
12,718	h	15000	3/4	15.11.21
12,716	v	15000	3/4	23.02.22
12,719	h	4610	5/6	17.05.18
12,721	h	20000	3/4	09.02.22
12,721	h	22000	3/4	05.08.22
12,722	h	4600	5/6	10.09.22
12,722	h	4800	3/4	26.05.19
12,722	h	5000	5/6	20.05.23
12,722	h	6750	3/4	18.08.23
12,722	h	7120	3/4	01.07.23
12,722	h	7200	3/4	29.03.18
12,722	h	7500	3/4	07.05.17
12,725	h	9230	3/4	14.05.22
12,725	h	9600	3/4	24.04.22
12,725	h	9860	3/4	22.08.21
12,725	h	10000	5/6	22.01.22
12,728	h	4600	5/6	10.09.22
12,731	h	7200	3/4	16.10.21
12,731	h	7500	3/4	11.06.22