

Frequenz	Pol.	SR	FEC	Datum	Stand: 01.04.2024
10,953	h	2200	5/6	16.10.20	
10,960	h	7500	3/4	15.06.18	
10,961	h	10000	3/4	18.08.13	
10,962	h	14400	3/4	30.09.12	
10,969	h	7500	3/4	15.06.18	
10,973	h	10000	3/4	11.08.13	
10,978	h	7500	3/4	15.06.18	
10,985	h	10000	3/4	11.08.13	
10,987	h	7200	3/4	07.05.22	
10,987	h	7500	3/4	03.02.18	
11,013	h	10000	3/4	17.09.22	
11,014	h	7200	3/4	29.12.13	
11,019	h	2200	3/4	28.08.21	
11,023	h	7200	3/4	29.09.12	
11,032	h	2200	3/4	16.12.21	
11,038	h	1600	3/4	31.08.21	
11,038	h	2200	3/4	22.11.21	
11,042	h	3600	3/4	29.09.13	
11,042	h	10000	5/6	28.05.12	
11,054	h	10000	3/4	26.05.13	
11,054	h	10000	5/6	24.04.13	
11,058	h	2255	3/4	09.08.22	
11,063	h	2270	3/4	18.09.23	
11,066	h	10000	3/4	26.05.13	
11,066	h	10000	5/6	13.06.12	
11,070	h	7120	3/4	14.09.13	
11,078	h	4950	5/6	14.10.16	
11,078	h	7430	5/6	21.08.15	
11,084	h	4950	5/6	14.10.16	
11,087	h	7430	5/6	21.08.15	
11,087	h	14240	-/-	12.10.12	
11,087	h	14400	3/4	29.09.12	
11,088	h	7120	3/4	14.12.13	
11,090	h	4950	5/6	14.10.16	
11,092	h	8888	3/4	11.01.14	
11,092	h	20000	-/-	24.10.12	
11,095	h	9600	3/4	04.05.13	
11,096	h	4950	5/6	14.10.16	
11,097	h	6666	-/-	13.06.12	
11,097	h	7120	3/4	14.12.13	
11,102	h	4950	5/6	14.10.16	
11,105	h	14240	3/4	14.09.13	
11,105	h	14400	3/4	29.09.12	
11,106	h	6666	-/-	13.06.12	
11,106	h	7120	3/4	14.12.13	
11,108	h	4650	3/4	10.10.16	
11,114	h	2200	3/4	13.12.21	
11,122	h	2220	3/4	23.08.20	
11,128	h	14400	3/4	20.10.12	
11,148	h	14400	3/4	06.10.12	
11,168	h	4444	3/4	08.12.13	
11,170	h	14400	3/4	29.09.12	
11,188	h	14400	3/4	29.09.12	
11,457	v	2960	3/4	19.04.17	
11,460	h	2220	3/4	03.02.18	
11,457	v	3000	7/8	05.07.15	
11,461	v	14400	3/4	18.08.13	
11,464	h	2220	3/4	01.10.16	

11,466	v	1910	3/4	17.04.18
11,468	v	1850	7/8	15.06.17
11,469	h	3000	3/4	17.10.19
11,471	v	1600	5/6	15.06.17
11,472	h	2600	3/4	17.04.18
11,475	v	6666	7/8	18.08.13
11,475	v	7200	3/4	03.04.18
11,480	h	1480	7/8	15.06.17
11,480	v	2200	7/8	10.10.16
11,483	h	2220	3/4	30.03.18
11,484	v	6666	7/8	24.08.13
11,485	v	1600	5/6	31.03.17
11,485	v	2200	7/8	10.10.16
11,488	h	1600	3/4	17.10.19
11,490	h	1850	3/4	24.04.18
11,493	h	1600	3/4	15.10.19
11,493	h	3333	3/4	12.10.19
11,496	h	2990	3/4	26.05.16
11,496	h	3000	3/4	08.12.13
11,497	h	1480	3/4	19.04.17
11,498	v	7120	3/4	24.08.13
11,500	h	2000	3/4	19.10.19
11,501	h	2967	3/4	15.06.17
11,501	h	3000	3/4	08.12.13
11,503	h	1918	3/4	25.05.18
11,503	h	2000	3/4	15.10.19
11,504	v	14400	3/4	14.12.13
11,507	h	1800	3/4	18.02.18
11,507	v	7120	3/4	24.08.13
11,508	v	1910	3/4	06.10.16
11,516	v	6666	7/8	15.12.13
11,516	v	7120	3/4	24.08.13
11,521	h	7200	3/4	03.09.22
11,525	v	6666	7/8	15.12.13
11,530	h	7200	3/4	03.09.22
11,537	v	2857	3/4	21.07.13
11,541	h	8888	2/3	08.12.13
11,553	h	2222	3/4	04.07.23
11,553	h	8888	2/3	08.12.13
11,562	h	2850	3/4	10.08.14
11,566	v	6666	7/8	19.10.13
11,579	h	2400	9/10	16.10.19
11,579	h	3200	3/4	18.02.18
11,583	h	1600	3/4	16.10.19
11,584	v	2222	3/4	11.08.13
11,585	h	2000	3/4	30.07.19
11,585	v	9260	3/4	29.04.15
11,591	h	3000	3/4	11.08.13
11,593	h	2000	3/4	05.11.19
11,593	h	2200	3/4	25.05.18
11,594	v	3333	3/4	29.04.15
11,594	v	3700	3/4	03.11.13
11,596	h	2190	3/4	20.04.19
11,596	h	2500	3/4	03.11.18
11,596	h	3000	3/4	21.08.13
11,598	h	1600	5/6	16.10.19
11,603	h	1600	5/6	12.10.19
11,608	h	3000	3/4	03.11.13
11,609	h	1500	3/4	15.10.19

11,611	h	1600	5/6	13.10.19
11,611	h	2850	3/4	10.07.18
11,611	h	3600	3/4	15.11.15
11,611	v	1850	3/4	01.10.16
11,614	v	2220	3/4	21.08.15
11,614	h	2200	7/8	13.10.19
11,615	h	3600	3/4	15.11.15
11,617	h	2200	3/4	07.10.18
11,618	h	1600	5/6	16.10.19
11,619	v	7200	3/4	01.10.16
11,620	h	2100	3/4	05.03.19
11,620	h	2200	8/9	16.10.19
11,620	h	3600	3/4	15.11.15
11,620	v	2400	7/8	21.07.13
11,623	h	1600	5/6	12.10.19
11,623	h	6666	7/8	14.12.13
11,624	v	2400	7/8	29.12.13
11,627	h	14240	3/4	19.10.13
11,627	v	2400	7/8	24.11.13
11,628	h	2200	3/4	12.10.19
11,630	h	1600	3/4	15.10.19
11,632	v	4000	5/6	11.01.14
11,633	h	2200	7/8	15.10.19
11,634	v	2100	3/4	10.10.16
11,634	v	2400	7/8	21.08.13
11,640	v	2000	5/6	30.03.18
11,643	v	2400	7/8	21.08.13
11,645	h	14240	3/4	19.10.13
11,647	h	2220	3/4	26.05.16
11,653	h	2857	3/4	27.02.18
11,656	h	2200	3/4	15.06.18
11,656	h	2857	3/4	29.10.19
11,659	h	2200	3/4	15.06.18
11,660	h	3600	3/4	22.06.22
11,662	h	1550	3/4	03.02.18
11,662	h	1667	5/6	04.01.19
11,662	h	2100	5/6	17.04.18
11,662	h	2960	2/3	07.01.23
11,663	h	3500	3/4	21.02.24
11,663	h	3600	3/4	22.06.22
11,663	h	4000	3/5	04.06.22
11,663	h	5000	5/6	07.07.20
11,663	h	7000	3/4	29.03.23
11,663	h	7200	3/4	10.03.21
11,668	h	2200	5/6	04.08.20
11,668	h	2400	3/4	09.02.21
11,668	h	2200	3/4	25.02.21
11,668	h	14240	3/4	19.10.13
11,668	h	14400	3/4	29.09.12
11,670	h	2050	3/4	17.10.23
11,670	h	2190	3/4	31.08.20
11,670	h	2400	5/6	18.02.22
11,670	h	2400	3/4	25.04.20
11,670	h	3750	5/6	19.07.22
11,670	h	4500	5/6	03.01.20
11,674	h	2180	5/6	30.06.22
11,674	h	7120	3/4	14.12.13
11,675	h	1580	3/4	07.05.21
11,675	h	2180	3/4	25.04.20

11,675	h	2300	5/6	14.04.22
11,677	h	3110	3/4	18.02.19
11,677	h	3200	3/4	06.11.21
11,677	v	1850	2/3	10.10.16
11,681	h	4200	3/4	09.10.21
11,683	h	2000	3/4	05.01.20
11,683	h	7120	3/4	14.12.13
11,683	h	7200	3/4	17.11.22
11,683	h	7500	3/4	18.11.22
11,684	h	2000	5/6	09.06.20
11,684	h	2220	3/4	16.04.22
11,684	h	3166	5/6	07.10.23
11,685	v	2170	5/6	14.06.18
11,689	h	3166	2/3	08.10.23
11,690	v	2200	2/3	19.04.17
11,692	h	7120	3/4	14.12.13
11,692	v	7200	3/4	01.10.16
11,693	v	3000	5/6	31.03.17
11,694	h	2200	3/4	12.08.18
11,694	h	2962	5/6	09.02.23
11,699	h	2100	3/4	13.10.19
12,506	v	2300	3/4	17.02.21
12,510	v	6666	7/8	22.09.13
12,519	v	6666	7/8	22.09.13
12,515	h	2200	5/6	11.08.13
12,515	h	2220	3/4	29.03.18
12,518	h	1500	3/4	17.06.18
12,517	v	3214	3/4	16.03.14
12,522	v	3214	3/4	16.03.14
12,525	v	2222	3/4	02.06.21
12,528	v	6666	7/8	22.09.13
12,534	h	2500	5/6	29.04.15
12,535	h	5000	3/4	22.10.19
12,537	h	2500	5/6	31.03.17
12,537	v	6666	7/8	22.09.13
12,542	h	2500	5/6	28.03.18
12,545	h	2500	5/6	22.03.19
12,548	h	5000	3/4	01.10.16
12,548	h	7000	3/4	14.10.16
12,548	v	2200	3/4	13.10.19
12,548	v	3000	5/6	29.04.15
12,549	v	1520	8/9	15.06.17
12,551	v	1500	3/4	19.04.17
12,551	v	2300	3/4	12.10.19
12,554	h	1600	5/6	03.02.18
12,554	v	1667	5/6	19.01.20
12,554	h	1666	7/8	29.10.19
12,557	v	1500	3/4	29.03.18
12,557	v	2220	3/4	08.01.21
12,557	v	3300	3/4	03.05.21
12,559	v	2220	3/4	17.02.21
12,559	v	6111	3/4	24.08.13
12,559	v	6666	7/8	11.01.14
12,559	v	7500	3/4	09.10.21
12,561	v	1500	3/4	19.04.17
12,561	v	2220	3/4	22.01.21
12,561	v	9600	3/4	13.04.22
12,561	v	9700	3/4	29.10.22
12,563	v	1500	3/4	19.04.17

12,563	v	1600	3/4	15.06.17
12,565	v	2222	3/4	30.07.19
12,566	v	7200	3/4	02.10.21
12,568	v	2222	3/4	08.11.19
12,568	v	2500	3/4	22.06.20
12,568	v	3300	3/4	16.02.21
12,568	v	14400	3/4	23.05.21
12,568	v	15000	3/4	08.05.22
12,571	v	2220	3/4	17.02.21
12,572	v	7200	3/4	20.06.22
12,574	h	6666	3/4	17.06.18
12,574	h	7500	2/3	24.04.18
12,574	v	1481	3/4	20.02.19
12,574	v	2220	3/4	18.12.20
12,578	v	1570	3/4	21.08.15
12,578	v	2000	5/6	23.10.19
12,585	h	2200	8/9	03.10.20
12,590	h	2900	3/4	22.11.23
12,590	h	3100	3/4	29.11.23
12,590	h	3600	3/4	23.07.23
12,590	h	4440	8/9	04.10.21
12,593	h	5500	5/6	05.12.23
12,593	h	5800	5/6	26.11.23
12,593	h	7120	2/3	23.03.24
12,593	h	7200	3/4	04.12.21
12,593	h	7500	3/4	24.11.21
12,593	v	6666	7/8	22.09.13
12,593	v	7200	3/4	18.08.13
12,594	v	20000	3/4	23.11.11
12,594	h	3100	3/4	22.11.23
12,594	h	3600	3/4	23.07.23
12,594	h	9600	3/4	29.08.21
12,594	h	9874	3/4	16.10.21
12,594	h	10000	3/4	29.07.23
12,594	v	9600	5/6	24.08.13
12,595	v	10000	5/6	31.08.13
12,598	h	14240	3/4	19.08.23
12,598	h	14400	3/4	11.09.21
12,598	h	15000	5/6	28.08.21
12,598	v	14400	3/4	11.01.14
12,599	h	3100	3/4	02.12.23
12,599	h	3600	3/4	23.07.23
12,601	h	22000	3/4	09.10.21
12,601	v	20000	3/4	29.09.13
12,602	h	7120	3/4	23.03.24
12,602	h	7200	3/4	20.11.21
12,602	h	7500	3/4	15.12.21
12,602	v	7200	3/4	07.12.13
12,604	h	2222	5/6	29.05.21
12,604	h	9600	3/4	29.08.21
12,604	h	9874	3/4	22.09.23
12,604	v	9600	3/4	19.10.13
12,605	h	13333	3/4	14.01.24
12,605	h	14400	3/4	28.11.23
12,607	v	30000	3/4	04.11.13
12,608	h	2900	3/4	21.11.23
12,608	h	3100	3/4	19.10.23
12,610	h	1667	5/6	04.04.21
12,611	h	7120	2/3	26.08.23

12,611	h	7200	3/4	28.08.21
12,610	h	7500	3/4	24.11.21
12,612	h	2222	3/4	22.05.21
12,612	h	3100	3/4	20.10.23
12,612	v	2200	7/8	15.03.21
12,614	h	1667	5/6	05.02.21
12,615	h	9700	3/4	18.06.23
12,615	h	9874	3/4	22.09.23
12,614	h	13000	2/3	26.01.24
12,615	h	14240	3/4	19.08.23
12,615	h	14400	3/4	11.06.23
12,615	h	20000	3/5	01.03.24
12,620	h	4800	3/4	30.11.23
12,620	h	5000	3/4	10.07.23
12,620	h	7120	2/3	03.02.24
12,620	h	7153	3/4	16.06.23
12,620	h	7200	3/4	11.09.21
12,620	h	7500	3/4	24.11.21
12,620	v	7200	3/4	07.12.13
12,621	h	10000	3/4	21.10.23
12,623	h	15000	3/4	09.10.21
12,624	h	19200	3/4	29.08.21
12,624	v	20000	3/4	19.10.13
12,626	h	5000	3/4	10.07.23
12,627	h	9700	3/4	17.06.23
12,627	h	9874	3/4	18.06.23
12,627	h	10000	3/4	07.10.23
12,629	h	2257	5/6	01.04.24
12,629	h	3100	3/4	26.10.23
12,629	h	3750	3/4	03.03.24
12,629	h	4800	3/4	30.11.23
12,629	h	4990	2/3	25.01.24
12,629	h	7120	2/3	19.08.23
12,629	h	7200	3/4	20.11.21
12,629	v	7120	3/4	18.08.13
12,629	h	7720	2/3	26.01.24
12,633	h	2480	3/4	03.08.23
12,633	h	2900	3/4	29.10.23
12,633	h	3100	3/4	25.10.23
12,633	h	3750	3/4	03.03.24
12,634	v	14240	3/4	24.08.13
12,634	v	15000	2/3	04.11.13
12,637	h	2220	3/4	31.07.22
12,637	h	2400	3/4	13.03.24
12,637	h	2500	3/4	21.06.23
12,637	h	3600	3/4	09.03.24
12,637	h	4000	3/4	19.08.22
12,637	h	7200	3/4	28.08.21
12,637	h	7500	3/4	15.12.21
12,637	v	7120	3/4	18.08.13
12,641	h	3300	5/6	29.01.24
12,641	h	15000	3/4	09.10.21
12,643	h	5500	5/6	24.01.24
12,643	h	9700	3/4	20.02.22
12,643	h	9800	3/4	19.01.24
12,646	h	7200	3/4	28.08.21
12,646	h	7500	3/4	03.10.21
12,646	v	7120	3/4	18.08.13
12,652	h	15000	3/4	19.06.22

12,652	v	14240	3/4	24.08.13
12,652	v	15000	2/3	04.11.13
12,654	h	9700	3/4	20.11.21
12,655	h	7200	3/5	28.08.21
12,655	v	7120	3/4	18.08.13
12,658	h	2200	5/6	01.04.19
12,658	h	4440	3/4	06.10.21
12,669	h	2200	3/4	03.11.22
12,674	h	2220	3/4	23.06.13
12,680	h	6666	7/8	24.08.13
12,682	h	10000	3/4	12.10.13
12,687	v	4650	5/6	03.02.18
12,689	h	6666	7/8	22.09.13
12,690	h	3650	2/3	11.01.23
12,692	h	1600	3/4	27.12.18
12,695	v	7200	3/4	03.11.18
12,697	h	7120	3/4	03.09.22
12,697	h	7200	3/4	17.02.22
12,697	h	7500	3/4	19.02.23
12,699	h	9700	3/4	23.01.22
12,699	h	9874	3/4	13.09.22
12,699	v	4650	5/6	03.02.18
12,702	h	14400	3/4	12.06.22
12,702	h	15000	3/4	27.05.22
12,704	v	6666	7/8	28.12.13
12,704	v	7200	3/4	03.11.18
12,706	h	2200	5/6	17.02.22
12,706	h	7120	3/4	03.09.22
12,706	h	7200	3/4	15.05.22
12,706	h	7500	3/4	19.02.23
12,707	h	9874	3/4	21.05.22
12,708	h	2962	3/4	07.10.23
12,708	h	3100	5/6	14.10.23
12,708	h	3333	5/6	29.05.23
12,708	v	2962	3/4	26.09.15
12,711	h	2500	5/6	22.04.23
12,711	h	9874	3/4	13.09.22
12,713	h	4444	5/6	03.07.23
12,713	h	5000	5/6	18.05.23
12,713	v	7200	3/4	03.11.18
12,714	h	2500	5/6	22.04.23
12,715	h	7120	3/4	03.09.22
12,715	h	7200	3/4	15.05.22
12,718	h	2222	3/4	25.04.23
12,721	v	6111	3/4	26.01.14
12,722	h	4444	2/3	14.10.23
12,722	h	4800	3/4	24.05.23
12,722	h	5500	3/5	07.12.23
12,723	h	2500	5/6	07.07.23
12,723	h	3100	3/4	13.10.23
12,723	h	3333	3/4	11.10.23
12,725	h	9400	3/4	03.06.23
12,725	h	9700	3/4	25.02.23
12,727	h	3100	5/6	18.10.23
12,727	h	3333	3/4	09.10.23
12,727	h	3600	3/4	28.05.23
12,729	h	2100	3/4	16.10.19
12,729	h	2220	3/4	17.02.20
12,729	h	3200	3/4	10.06.20

12,730	h	5000	5/6	27.09.23
12,730	h	7120	2/3	10.02.24
12,730	h	7200	3/4	13.05.23
12,730	v	7200	3/4	26.01.14
12,731	h	10000	3/4	04.11.23
12,732	h	3600	3/4	28.05.23
12,732	v	13333	3/4	07.09.13
12,732	v	14400	3/4	01.09.13
12,734	h	14400	3/4	24.10.23
12,734	h	15000	3/5	05.07.23
12,737	h	2400	3/4	17.02.20
12,737	h	3600	3/4	28.05.23
12,737	h	2930	3/4	16.03.14
12,737	h	9600	3/4	10.06.23
12,737	h	9700	3/4	25.02.23
12,737	h	9874	3/4	27.09.23
12,739	v	6666	7/8	22.09.13
12,740	h	2100	3/4	18.10.19
12,740	h	5000	3/4	30.08.23
12,740	h	6900	3/4	27.07.23
12,740	h	7120	2/3	10.02.24
12,740	h	7200	3/4	03.09.20
12,741	h	3600	3/4	28.05.23
12,741	h	3650	5/6	25.11.23
12,743	h	2400	3/4	17.02.20